

EV Charging Solutions

Product Application Center

July 2025

Easy to install:

⇒ Easy wiring

⇒ Floor standing

Easy to maintain:

⇒ Preventive Maintenance

⇒ Corrective maintenance

⇒ Usual devices and tools

⇒ Scalable solution from 240 kW to 320 KW

Flexible:

- ⇒ DC Combo CCS Type 2 ⇒ Power: 240/320 kW CCS2
- ⇒ 2 vehicle connectors
- ⇒ Dynamic Simultaneous charging DC + DC ⇒ CCS2: 150 - 1000 Vdc - 300 A (500A w/ boost
- mode) New ⇒ Customize look & Feel

Energy management:

- ⇒ Anti Tripping
- ⇒ Cost Management with EVCE
- ⇒Class 1 (1% full scale) PTB/ MID DC meter
- ⇒ Efficiency: 97% New

Easy to use:

- ⇒ Advanced Connectivity
 - ⇒ RFID/NFC reader : authentication
 - ⇒ Protocol OCPP 1.6 Json OCA certified including Cybersecurity (Dec. 2025)

New

▼□Г Schneider eStar

- ⇒ ISO15118 "Plug & Charge" ⇒ DIN 70121
- ⇒ Ethernet connection 4G modem Wi-fi included
- ⇒ VDV261
- ⇒ BCB toggle wake-up
- ⇒ Manufacturer Portal
- ⇒ USB-C connector
- ⇒ Ergonomic
- - ⇒ 10,4" touch screen / smart HMI
 - ⇒ Multi language support

 - ⇒ 3.8 m cable range with cable management or 7.5 m range ⇒ Embedded Payment terminal (Option in Europe + Australia)
 - ⇒ Accessible to disabled person
 - ⇒ Autocharge
 - ⇒ Charge interrupt button

 - ⇒ Cost display New ⇒ Tarif Display
 - ⇒ QR code display



EVlink Pro DC 320

Safe and robust:

⇒ Spare part

⇒ Embedded protections (MCB, SPD)

⇒ Remote maintenance service

- ⇒ IP55
- ⇒ IK10 IK08 screen
- ⇒ UV resist
- ⇒ -30°C/+50°C (derating above +50°C)
- ⇒ Metal housing
- ⇒ Outdoor use and indoor use
- ⇒ C4M corrosion protection (enclosure)
- ⇒ Shock and water ingress sensor
- ⇒ Fan preventive sensor New
- ⇒ Noise level:< 65 decibels
- ⇒ CSMS notification in case of power outage New



Easy to maintain, optimized uptime of the charging station.

- Premium support for commissioning and maintenance.
- Keep it at its best with our corrective and preventive maintenance.
- Easy to repair, with about 50 spare parts available
- Warranty extension (1 to 3 more years)
- Training for partners

Sustainable product with a sustainable design

 ReaCH, ROHS, End of Life, Product Environmental Profile







SUSTAINABLE




Simple and intuitive to use, operate and maintain

- Vehicle recognition (Mac Address Autocharge)/ Plug & Charge ISO15118.
- · On screen QR code display
- Intuitive HMI
 - Multi language support
 - Tariffs display (based on CPO information)
 - Show the level of battery & charge costs
- 3.8 m range Cable with cable management or 7.5m cable without cable management
- Led indicator
- · Gun Holder
- USB-C for easy maintenance New
- Embedded Payment terminal (option)
- · Accessible to disabled persons



EASY



eMobility and Energy Storage Solution