




EV Charging Solutions

Product Application Center

July 2025

DC 60 Features

Easy to install:

- ⇒ Usual devices and tools
- ⇒ Easy wiring
- ⇒ Adapted weight and volume
- ⇒ Floor standing and wall mounted

Easy to maintain:

- ⇒ Preventive Maintenance
- ⇒ Corrective maintenance
- ⇒ Spare part
- ⇒ Remote maintenance service

Safe and robust:

- ⇒ Embedded protections (MCB, SPD)
- ⇒ IP55
- ⇒ IK10 – IK08 screen
- ⇒ UV resist
- ⇒ -30°C/+50°C (derating above +50°C)
- ⇒ Metal housing
- ⇒ Outdoor use and indoor use
- ⇒ C3M Corrosion protection
- ⇒ Shock sensor



⇒ Flexible :

- ⇒ DC Combo CCS Type 2, or CHAdeMO
- ⇒ Power : 60 kW
- ⇒ 2 vehicle connectors
- ⇒ Simultaneous charging DC + DC
- ⇒ CCS2 : 150 - 1000 Vdc – 200 A Max
- ⇒ CHAdeMO : 150 - 500 Vdc – 125 A Max

⇒ Customize look & Feel

Energy management :

- ⇒ Anti Tripping
- ⇒ Cost Management with EVCE
- ⇒ Class 1 (1% full scale) DC meter

Easy to use:

⇒ Advanced Connectivity

- ⇒ RFID/NFC reader : authentication (badges)
- ⇒ Protocol OCPP 1.6 Json
- ⇒ ISO15118
- ⇒ DIN 70121
- ⇒ Ethernet connection / 4G modem / Wi-Fi included

⇒ Ergonomic

- ⇒ 7" touch screen / Smart HMI
- ⇒ Multi language support (English, French, German, Norwegian, Spanish, Swedish...)
- ⇒ 3.6 m cable range with cable management or 7 m range
- ⇒ Accessible to disabled person
- ⇒ Autocharge
- ⇒ Charge interrupt button
- ⇒ Cost display
- ⇒ Tariff display
- ⇒ QR code display



Certifications :



DC 60 V2 Features

Easy to install:

- ⇒ Usual devices and tools
- ⇒ Easy wiring
- ⇒ Adapted weight and volume
- ⇒ Floor standing

Easy to maintain:

- ⇒ Preventive Maintenance
- ⇒ Corrective maintenance
- ⇒ Spare part
- ⇒ Remote maintenance service

Safe and robust:

- ⇒ Embedded protections (MCB, SPD)
- ⇒ IP55
- ⇒ IK10 – IK08 screen
- ⇒ UV resist
- ⇒ -30°C/+50°C (derating above +50°C)
- ⇒ Metal housing
- ⇒ Outdoor use and indoor use
- ⇒ C4M Corrosion protection New
- ⇒ Shock sensor
- ⇒ Fan preventive sensor New
- ⇒ Noise level: < 51 dB @ 1 m in front of the charger
- ⇒ CSMS notification in case of power outage New

Schneider StarCharge Fast 60

EVlink Pro DC 60 V2



⇒ Flexible :

- ⇒ DC Combo CCS Type 2
- ⇒ Power : 60 kW
- ⇒ 2 vehicle connectors
- ⇒ Simultaneous charging DC + DC
- ⇒ CCS2 : 150 - 1000 Vdc – 200 A Max
- ⇒ Customize look & Feel

Energy management :

- ⇒ Anti Tripping
- ⇒ Cost Management with EVCE
- ⇒ Class 1 (1% full scale) PTB/ MID DC meter New
- ⇒ Efficiency: 97% New

Easy to use:

⇒ Advanced Connectivity

- ⇒ RFID/NFC reader : authentication (badges)
- ⇒ Protocol OCPP 1.6 Json
- ⇒ ISO15118 Plug & Charge New
- ⇒ DIN 70121
- ⇒ Ethernet connection / 4G modem / Wi-Fi included
- ⇒ VDV261
- ⇒ BCB toggle wake-up
- ⇒ Manufacturer Portal
- ⇒ USB-C connector

⇒ Ergonomic

- ⇒ 7" touch screen / Smart HMI
- ⇒ Multi language support (English, French, German, Norwegian, Spanish, Swedish...)
- ⇒ 3.6 m cable range with cable management or 7 m range
- ⇒ Embedded Payment terminal (Option in Europe + Australia) New
- ⇒ Accessible to disabled person
- ⇒ Autocharge
- ⇒ Charge interrupt button
- ⇒ Cost display
- ⇒ Tariff display New
- ⇒ QR code display

SUSTAINABLE



Easy to maintain, optimized uptime of the charging station.

- **Premium support** for commissioning and maintenance.
- **Keep it at its best** with our corrective and preventive maintenance.
- **Easy to repair**, with about 50 spare parts available
- **Warranty extension** (1 to 3 more years)
- **Training for partners**

Sustainable product with a sustainable design

- ReaCH, ROHS, End of Life, Product Environmental Profile



EASY



Simple and intuitive to use, operate and maintain

- **Vehicle recognition** (Mac Address - Autocharge)/ Plug & Charge ISO15118.
- On screen **QR code** display
- **Intuitive HMI**
 - Multi language support
 - Tariffs display (based on CPO information)
 - Show the level of battery & charge costs
- 3.8 m range Cable with **cable management** or 7.5m cable without cable management
- Led indicator
- Gun Holder
- USB-C for easy maintenance **New**
- **Embedded Payment terminal** (option)
- **Accessible** to disabled persons 



eMobility and Energy Storage Solution